

## Simponi Patient Reminder Card

This Patient Reminder Card contains important safety information that you need to be aware of before and during treatment with Simponi.

Show this card to any doctor involved in your treatment.

### 1. Infections

When you are treated with Simponi, you might get infections more easily. Infections may progress more rapidly and may be more severe. In addition, some previous infections may reappear.

#### 1.1 Prior to Simponi treatment:

- Tell your doctor if you have an infection. You must not be treated with Simponi if you have tuberculosis (TB) or any other severe infection.
- You should be screened for TB. It is very important that you tell your doctor if you have ever had TB, or if you have been in close contact with someone who has had TB. Ask your doctor to record the type and date of the last screening(s) for TB below:

Test _____	Test _____
Date _____	Date _____
Result _____	Result _____

- Tell your doctor if you know or suspect you are a carrier of the hepatitis B virus.

#### 1.2 During and after Simponi treatment:

- Seek medical attention immediately if you develop symptoms of an infection, such as fever, tiredness, (persistent) cough, shortness of breath, or flu-like signs, weight loss, night sweats, diarrhoea, wounds, dental problems and a burning feeling when urinating.

### 2. Heart failure

#### 2.1 Prior to Simponi treatment:

- Tell your doctor if you have a history of heart failure. You must not be treated with Simponi if you have moderate to severe heart failure.

#### 2.2 During and after Simponi treatment

- If you develop symptoms of heart failure (e.g. shortness of breath or swelling of the feet) seek medical attention immediately.

### 3. Dates of Simponi treatment

1st administration: \_\_\_\_\_

Subsequent administrations: \_\_\_\_\_  
\_\_\_\_\_

It is important that you and your doctor record the brand name and batch number of your medicine.

### 4. Other information

Patient's Name: \_\_\_\_\_

Doctor's Name: \_\_\_\_\_

Doctor's Phone: \_\_\_\_\_

- Please make sure you also have a list of all other medicines that you are using with you at any visit to a health care professional.

- Keep this card with you for 6 months after the last Simponi dose, since side effects may occur a long time after your last dose of Simponi.
- Read the Simponi package leaflet carefully before you start using this medicine.