



Medicines Authority
Inspectorate and Enforcement Division
203, Level 3, Rue d'Argens,
Gzira GZR1368
Malta

Telephone: +356 2343 9142

Facsimile: +356 2343 9162

Drug Alert

CLASS 2 MEDICINES RECALL ACTION WITHIN 48 HOURS

Date: 28th July 2008

Our Ref: MDR 5-7/08

Dear Pharmacist

VJ Salomone Ltd and Government Pharmaceutical Services

Depo-Provera (medroxyprogesterone acetate) 150mg/ml susp for injection in prefilled syringes MA No.: N/A

Batch Number	Expiry date	Pack size	First distributed
All batches within expiry period manufactured at Pfizer Manufacturing, Puurs, Belgium	All batches within expiry	N/A	N/A

The Inspectorate and Enforcement Directorate within the Medicines Authority were informed of a Medicinal Product Defect dated 18th July 2008 by the Belgian Federal Agency for Medicinal and Health Products.

The reason for the defect is possible presence of glass particles in the syringes.

The recall is being carried out by VJ Salomone Ltd and the Government Pharmaceutical Services under the supervision of the Medicines Authority and has been classified as a Class II recall up to pharmacy level.

Thanks and regards

Karl De Marco
Medicines Inspector