## CHECKLIST FOR NPLATE® SELF-ADMINISTRATION

Confirm that your patient is	
An adult patient	<b>V</b>
Interested in and suitable for home administration	<b>V</b>
On a stable dose of Nplate®  • For the purposes of self-administration, a stable dose of Nplate® means the patient's Nplate® dose has not required adjustment for at least 4 weeks. Patients who need dose adjustments cannot return to self-administration until their dose has stabilised – that is, until their Nplate® dose has not required adjustment for at least 4 weeks	<b>V</b>
Willing to undergo a period of training Inform patients that home administration will involve a period of training, and that	<b>V</b>

they will be required to demonstrate their ability to self-administer

Ensure patients return home with...

continue doing so

## The right dose written and drawn in their Self-administration diary Their reconstitution pack(s) of Nplate® (Make sure they have not taken the placebo demonstration kit with them by mistake) All the patient materials in their Home Administration Training pack Contact information for a healthcare professional (to be written on the back of their Self-administration diary, in the section titled "Just in case you need support...")

Please report any adverse reactions to the Medicines Authority by post or e-mail: ADR reporting/ Sir Temi Zammit Building, Malta Life Sciences Park, San Gwann or on <a href="https://www.medicinesauthority.gov.mt/adrportal">www.medicinesauthority.gov.mt/adrportal</a>

An appointment date to return after the first 4 weeks of self-administration. At this visit they will have their platelet count checked and will again be supervised while reconstituting and administering Nplate®. Only patients who demonstrate the ability to reconstitute and self-administer Nplate® should be allowed to

## **INSERT PIHERE**