

**FRONT**



**ENTYVIO (vedolizumab) Patient Alert Card**

This alert card contains important safety information that you need to be aware of.

Show this card to any doctor involved in your treatment.

Version 2- 22 July 2019

Inside left



### Infections

- ENTYVIO increases the risk of getting infections.
- Infections may progress more rapidly and be more severe. *This may include serious brain and nervous system infections.*
- You should not be treated with ENTYVIO if you have a severe infection.

If you develop symptoms suggestive of

- **infections** for example fever, persistent cough, weight loss, *listlessness*, or
- **nervous system problems** for example confusion, difficulties with vision or movement then you should seek medical attention immediately

**Inside right**



Keep this card with you for 4 months after the last ENTYVIO dose, since side effects may occur a long time after your last dose of ENTYVIO

- See the ENTYVIO package leaflet for more information.
- Please make sure you also have a list of all your other medicines with you at any visit to a health care professional.

**BACK**



Patient's Name: \_\_\_\_\_

Doctor's Name: \_\_\_\_\_

Doctor's Phone: \_\_\_\_\_

Dates of ENTYVIO treatment:

Start: \_\_\_\_\_

Further Infusions: \_\_\_\_\_

\_\_\_\_\_

- See the ENTYVIO package leaflet for more information.
- Please make sure you also have a list of all your other medicines with you at any visit to a health care professional.