

# AMGEVITA<sup>®</sup> (adalimumab)

## Patient Reminder Card

This card has important safety information about AMGEVITA. Please be sure to:

- Show this card to all of your healthcare providers (HCPs). This is so they know you are taking AMGEVITA.
- Keep this card with you at all times while you are taking AMGEVITA and for 4 months after your last injection of AMGEVITA.
- In the notes section on the back of this card, write down information about any tuberculosis tests or treatment you have had.

It is important to know that the possible side effects listed on this card are not the only possible side effects of AMGEVITA. For more comprehensive information, please read the AMGEVITA package leaflet (PL) or talk with your HCP.



### What is AMGEVITA?

The immune system normally protects the body from infection, but in some disease states (autoimmune diseases) this system doesn't work the way it should. AMGEVITA is a medicine that is used to treat certain autoimmune diseases, such as rheumatoid arthritis, psoriasis and inflammatory bowel disease. The purpose of this card is to provide information to you and your HCPs about the safety issues associated with this medication.

Side effects that could happen with AMGEVITA include:

- Infections
- Cancer
- Problems with your nervous system

These are not all of the possible side effects of AMGEVITA.

### What should I know before I start treatment with AMGEVITA?

The benefits and risks of taking AMGEVITA vary from person to person. Before starting treatment with AMGEVITA, you should talk with your HCP about the benefits and risks for you.

Before starting treatment, you should tell your HCP:

- About any health problems you have
- About any medicines you take (including prescription medicines and over-the-counter medicines, vitamins, and supplements)
- If you:
  - Have an infection or symptoms of an infection (such as fever, nonhealing sores, wounds, feeling tired, dental problems)
  - Have tuberculosis currently or have had it in the past or have been in close contact with someone who has tuberculosis
  - Have cancer or have had it in the past
  - Ever feel any numbness or tingling
  - Have a problem that affects your nervous system, such as multiple sclerosis

Your HCP will check you for signs and symptoms of tuberculosis before you start treatment with AMGEVITA. You may need to be treated for tuberculosis before you start treatment.

### Vaccination advice

Except for live vaccines, patients on AMGEVITA may receive vaccinations. If you receive AMGEVITA whilst pregnant, tell your infant's HCP before your infant receives any vaccination. It is not recommended to give live vaccines, such as BCG vaccine (usually given to prevent tuberculosis), to infants exposed to AMGEVITA in the womb until 5 months after the mother's last dose of AMGEVITA during her pregnancy. Always obtain advice from your HCP before any vaccination.

### What should I do during my treatment with AMGEVITA?

During your treatment, you should:

- Tell your HCP if AMGEVITA is working for you.
- **Call your HCP right away about any side effects you have.**
  - Your HCP can help you try to manage them.
  - If you do have a side effect, your HCP will decide if you should keep taking AMGEVITA.
- Tell your HCP about any side effects you have up to 4 months after your last injection of AMGEVITA. This is because side effects can happen after your last dose of AMGEVITA.
- Tell your HCP about:
  - Any new medical conditions that you have
  - New medicines you are taking (including prescription medicines and over-the-counter medicines, vitamins, and supplements)
  - Any surgery or operation that you are having

Some people taking AMGEVITA may get serious side effects. Some of the serious side effects are shown in the box below. Note that these are not the only possible side effects that might occur. Please read the AMGEVITA PL for more information. Tell your HCP right away if you have side effects during treatment with AMGEVITA. Your HCP may be able to help you manage the side effects and stop them from getting worse.

**Infections** — People treated with AMGEVITA are more likely to get infections and, when they do, the infections are more severe. Some of these infections are relatively minor, such as a common cold. Others are more serious and potentially fatal, such as tuberculosis.

**Cancer** — The risk of getting certain types of cancer may be higher in people treated with AMGEVITA.

**Nervous system problems** — Some people treated with AMGEVITA can develop new or worsening nervous system problems like multiple sclerosis.

Call your HCP or get medical care right away if you have any of the following symptoms that might indicate serious side effects. These are not all of the possible symptoms of side effects. Tell your HCP right away if you feel anything unusual during treatment with AMGEVITA. Your HCP may be able to help you manage symptoms of side effects and stop them from getting worse.

(continued) ►

<b>Infection:</b>	
<ul style="list-style-type: none"> <li>• Fever</li> <li>• Chills</li> <li>• Unusual sweating</li> <li>• Feeling unwell or feeling more tired than normal</li> <li>• Throwing up (vomiting) or feeling like you're going to throw up (nausea)</li> <li>• Diarrhea</li> <li>• Stomach pain</li> <li>• Not feeling hungry the way you usually do (loss of appetite)</li> </ul>	<ul style="list-style-type: none"> <li>• Losing weight</li> <li>• Coughing or coughing up blood or mucus</li> <li>• Feeling like you can't catch your breath (shortness of breath)</li> <li>• Problems peeing (urinating)</li> <li>• Sores on your skin</li> <li>• Nonhealing sores and wounds on your skin</li> <li>• Sore muscles</li> <li>• Problems with your teeth or gums</li> </ul>
<b>Cancer:</b>	
<ul style="list-style-type: none"> <li>• Night sweats</li> <li>• Swollen glands in your neck, armpits, groin, or other areas</li> <li>• Weight loss</li> </ul>	<ul style="list-style-type: none"> <li>• New skin lesions or a change in skin lesions (such as moles or freckles) you already have</li> <li>• Severe itchiness</li> </ul>
<b>Nervous system problems:</b>	
<ul style="list-style-type: none"> <li>• Feeling numbness or tingling anywhere in your body</li> <li>• Changes in vision</li> </ul>	<ul style="list-style-type: none"> <li>• Muscle weakness</li> <li>• Dizziness</li> </ul>

 **Tuberculosis tests and treatment**

Date of your last tuberculosis test: \_\_\_\_\_

Have you ever tested positive for tuberculosis?

Yes  No

Did you receive treatment for having a positive tuberculosis test?

Yes  No

How long were you treated for tuberculosis? \_\_\_\_\_

**Patient information**

Your name: \_\_\_\_\_


Your HCP's name: \_\_\_\_\_

Your HCP's telephone number: \_\_\_\_\_

Date of your first AMGEVITA injection: \_\_\_\_\_

Date of your last AMGEVITA injection if your treatment has finished: \_\_\_\_\_



 Information about any tuberculosis tests or treatment you have had:

---

---

---

---

---

---

---

You can help by reporting any side affects you may get to either the Medicines Authority by post or e-mail: ADR reporting/ Sir Temi Zammit Building, Malta Life Sciences Park, San Gwann or on [www.medicinesauthority.gov.mt/adrportal](http://www.medicinesauthority.gov.mt/adrportal)

Or Local Distributor:  
Cherubino Ltd, Delf Building, Sliema Road,  
Gzira Tel: 21343270  
On behalf of Amgen Europe B.V.

Version 3.0  
Approved on: 08-Feb-2022

This material is not intended for promotional use.

