HMA WGEO - Rapid Alert Form

Counterfeit or illegal product found in the illegal supply chain

Reference:				
Date: 20220331	Time: 10:00		Initials: STe	
Please complete sections 1 to 5 providing as much information as possible.				
1. REPORTING PERSON	V .			
Name		Position:		
Organisation				
Address				
Telephone No:			Ext:	
e-mail address:				
2. PRODUCT DETAILS				
Product name: Cascara S	Sagrada			
Manufacturer: Dr. Clark Research Association, USA				
Supplier: Dr. Clark Zentrum Limited, 152 Naxxar Rd. #7, SGN 9030 San				
Gwann, Malta; Dr. Clark (Center, Am Bü	rohochhau	us 2-4, 14478 Potsdam	
Legal status: Banned 🛛	Counterfeit	Unlicens	ed 🛛 Stolen 🗌	
Dosage form: capsule				
Strength: 350 mg Cascara Sagrada (Rhamnus purshiana)				
Batch / lot no: L004033F1 Is batch number genuine: Yes No				
If yes to the above, advise batch destination country:				
Expiry date: 04/22				
Language of packaging: 7 languages (English, German, Spanish, French,				
Dutch, Italian, Portuguese)				
Date of discovery: 20210804				
Details of discovery:		· · ·		
Within a surveillance activ	Within a surveillance activity a suspect product was verified, and OMCL			
identified it as a medicinal product without market authorization. The product				
was declared as a food s	upplement.			
Analysed: YES ☒ NO ☐]			

If yes, result of analysis: Hydroxyanthracen-glycosides, calculated as Cascarosid A 8,8 (+/-0,5) % = 32,2 mg/unit (with average content of 366mg Cascara Sagrada/unit)

3. DISTRUBUTION METHOD			
Internet: YES ☑ / NO □			
Internet: websites, ebay	Non internet,		
URL:	advise full		
Website address: www.drclarkcenter.de (BB),	details:		
www.drclark.com, www.drclark24.de (SH), www.dr-			
clark.de (BW), https://ch.drclark.com/de_DE/, www.the-			
natural-choice.co.uk, https://mannayan.com/ (BY),			
www.provitahealthstore.com, www.fishpond.com,			
www.hood.de (NRW), www.sante-detox.com,			
Other details: active offers were identified in the EU			
Currency of payment: €, £, \$, CHF			
Has product reached patients/consumers? not known			
4. RISK TO PUBLIC HEALTH			
Adverse reactions: YES ⊠/ NO □			
If yes, please advise details: spastic gastrointestinal condition	on		
Medical assessment details: chronic use can lead to lack of electrolytes,			
especially potassium (heart function)			
5. NEED FOR PUBLICITY			
Are you making a public statement? YES ☐ / NO 🏻			
Are you issuing a press release? YES□ / NO ☒			
Are you recalling product? YES ☐ / NO ☒			
If yes to any of the above, when do you intend to take action	1?		
6. DISSEMINATION			
Are you content for this Rapid Alert to be shared outside W	GEO .		
membership?			
YES ☑ / NO ☐ (please see below)			

with (you may t	pecify which of the below you are content for this to be share ick more than 1 box) ent 🔀 Industry Security 🔯 Trade Associations 🖂
Traders 🛛 Ot	ner 🗌 Please specify
7. PHOTOGRA	PH
If possible, plea	ise attach a photograph of the product.

Casca

Cascara Sagrada Casca

Cáscara Sagrada Casca

Cascara Sagrada

