

URGENT FIELD SAFETY NOTICE



Date of Letter Deployment

GE HealthCare Ref. # 36161

To: Healthcare Administrator / Risk Manager
Chief of Nursing
Director of Biomedical Engineering

RE: **CARESCAPE Canvas 1000, CARESCAPE Canvas Smart Display, and Certain Versions of CARESCAPE B850, or CARESCAPE B650 Monitors**

Safety Issue

GE HealthCare has become aware of the potential for loss of monitoring on CARESCAPE Canvas 1000, CARESCAPE Canvas Smart Display, and certain versions of CARESCAPE B850 and CARESCAPE B650 monitors if, following the replacement of the CPU timekeeper battery, a mains power loss occurs during active monitoring. In the unlikely event that this occurs, it can result in the displays or monitors not turning on, after the mains power is restored. This can result in a delay in recognizing changes in patient condition until a replacement monitor is connected.

There have been no injuries reported as a result of this issue.

Actions to be taken by Customer/User

1. You can continue to use your monitor if the CPU timekeeper battery has not been replaced. If the monitor has had a CPU timekeeper battery replaced or if you are unsure whether the CPU timekeeper battery was replaced, reinstall the host software using the software media that is included as part of the equipment.
2. **In the event the monitor does not start up following a mains power loss during active monitoring, continue patient assessment with other methods until a replacement monitor or display has been connected.**
3. Update any facility planned maintenance schedules to remove CPU timekeeper battery replacement. Only change the battery if "Service Monitor Error Code 0xHOST1100" error message occurs. After changing the battery, reinstall the host software using the host software media that is included as part of the equipment.
4. Download the full User manual documentation set which contains the revised Service and Supplemental Information Manual(s) from the GE HealthCare Customer Documentation Portal. See **Appendix** for a list of updated and impacted part numbers.

<https://www.gehealthcare.com/support/manuals>

If you have difficulty accessing the documentation, please contact GE HealthCare for assistance.

5. Discontinue usage and destroy and/or delete all impacted versions of the Service Manuals, Supplemental Information Manuals and delivery media.
6. Complete and return the attached Acknowledgement Form to FMI.36161@gehealthcare.com.

Please retain this document for your records.

**Affected
Product
Details**

Product Models:

CARESCAPE Canvas 1000, GTIN 00195278522320
CARESCAPE Canvas Smart Display, GTIN 00195278522313
CARESCAPE B850, model MBC303, GTIN 00840682136723
CARESCAPE B850, model MBC313, GTIN 00840682144308
CARESCAPE B850, model MBC323, GTIN 00840682146142
CARESCAPE B650, model MBB313, GTIN 00840682143806
CARESCAPE B650, model MBB323, GTIN 00840682146111

Intended use for CARESCAPE Canvas 1000, and CARESCAPE Canvas Smart Display:

CARESCAPE Canvas 1000, and CARESCAPE Canvas Smart Display are multi-parameter patient monitor intended for use in multiple areas within a professional healthcare facility.

Intended use for CARESCAPE B850:

The CARESCAPE B850 is a multi-parameter high acuity patient monitor intended for use in multiple areas within a professional healthcare facility.

Intended use for CARESCAPE B650:

The CARESCAPE B650 is a multi-parameter patient monitor intended for use in multiple areas and intrahospital transport within a professional healthcare facility.

**Product
Correction**

GE HealthCare has updated the Service Manual and Supplemental Information Manual and has made these available free of charge for you to download. These manuals have been updated, as appropriate, to remove the planned maintenance of the CPU timekeeper battery and added a step to reload the host software after a CPU timekeeper battery replacement.

**Contact
Information**

If you have any questions or concerns regarding this notification, please contact GE HealthCare Service or your local Service Representative.

GE Healthcare confirms that this notice has been notified to the appropriate Regulatory Agency.

Please be assured that maintaining a high level of safety and quality is our highest priority. If you have any questions, please contact us per the contact information above.

Sincerely,



Laila Gurney
Chief Quality & Regulatory Officer
GE HealthCare



Scott Kelley
Chief Medical Officer
GE HealthCare

**MEDICAL DEVICE NOTIFICATION ACKNOWLEDGEMENT
RESPONSE REQUIRED**

Please complete this form and return it to GE HealthCare promptly upon receipt and no later than 30 days from receipt. This will confirm receipt and understanding of the Medical Device Correction Notice.

There are two options for your convenience:

- 1) Electronic response form (this page)

OR

- 2) Manual filled and scanned response form (next page)

Electronic response form

Please scan the QR code or follow the link below to complete the form

<https://app.sc.ge.com/esurveys/takesurvey/18446744073711272772>



Manual filled and scanned response form

GE HealthCare Ref. # 36161

Alternatively, if the workflow on the previous page is not possible, please complete this form and return it to GE Healthcare promptly upon receipt and no later than 30 days from receipt. This will confirm receipt and understanding of the Medical Device Correction Notice.

*Customer/Consignee

Name: _____

*Street Address: _____

*City/State/ZIP/Country: _____

*Customer Email Address: _____

*Customer Phone Number: _____

We acknowledge receipt and understanding of the accompanying Medical Device Notification, and that we have informed appropriate staff and have taken and will take appropriate actions in accordance with that Notification.

We acknowledge destruction of media containing electronic versions of the impacted Service Manuals and/or Supplemental Manual Information sections.

Please provide the name of the individual with responsibility who completed this form.

*Signature: _____

*Printed Name: _____

*Title: _____

*Date (DD/MM/YYYY): _____

*Indicates Mandatory Fields

Please return completed form by scanning or taking a photo of the completed form and email to FMI.36161@gehealthcare.com You can obtain this email address through the QR code below:



Appendix

Service Manuals and Supplemental Information Manuals were provided in either electronic format, via USB or DVD, or hard copy printed format. The instructions for identifying the correct part number to destroy and replace are listed by product. Please refer to the correct section based on the equipment at your facility.

If you have difficulty accessing the documentation or prefer the full User Manual documentation on a USB, please contact GE HealthCare for assistance.

1. Instructions for downloading updated documentation

Download the revised Service Manual(s) and Supplemental Information Manual(s) from the GE HealthCare Customer Documentation Portal - <https://www.gehealthcare.com/support/manuals>

Table for correct full Manual Documentation Set revisions

It is mandatory to download one of the below full documentation sets (Table 1 or 2 or 3).

English for US customers **only** (Table 1), select English as the document search language and search manuals by the Part Number associated with the manual edition.

Table 1.

Part Number	Description	Revision
5903660-02	MANUAL USB CARESCAPE CANVAS MONITORS SW3.3 USA	6 or later
5829987-02	MANUAL USB CARESCAPE BX50, SW V3.2 USA	4 or later
5845415	MANUAL USB CARESCAPE B650, SW V3.1 USA	6 or later
5845416	MANUAL USB CARESCAPE B850, SW V3.1 USA	5 or later

For Chinese Language (Table 2), select Simplified Chinese- China as the document search language and search manuals by the Part Number associated with the manual edition.

Table 2.

Part Number	Description	Revision
5860794	MANUAL USB CARESCAPE B650, SW V3.1 CHINA	6 or later
5875711	MANUAL USB CARESCAPE B850, SW V3.1 CHINA	5 or later

For English outside of US and all other languages (Table 3), select English as the document search language and search manuals by the Part Number associated with the manual edition. All languages will be located within the manuals with "INTERNATIONAL" in the description.

Table 3.

Part Number	Description	Revision
5903660	MANUAL USB CARESCAPE CANVAS MONITORS SW3.3 INTERNATIONAL	12 or later
5829987	MANUAL USB CARESCAPE BX50, SW V3.2 INTERNATIONAL	10 or later
5810398	MANUAL USB CARESCAPE B650, SW V3.1 INTERNATIONAL	17 or later
5818032	MANUAL USB CARESCAPE B850, SW V3.1 INTERNATIONAL	13 or later
2106534-103	MANUAL USB CARESCAPE B850, SW V3.0 INTERNATIONAL	1 or later

Reference table for correct Service Manual revision

The Service manual versions listed below in Table 4 are included into the full manual documentation sets listed in Table 1, 2 and 3. (No need to download separately). The Service manuals are in English only.

Table 4.

Part Number	Description	Revision
5697487-01	CARESCAPE Canvas Monitors Service Manual SW v3.3	4 or later
2106583-001	CARESCAPE B850 Service Manual SW V3.0, version MBC303	2 or later
2109358-001	CARESCAPE B850 Service Manual SW V3, version MBC313	4 or later
5817395-01	CARESCAPE B850 Service Manual, SW v3.2 version MBC323	3 or later
2109358-002	CARESCAPE B650 Service Manual SW V3, version MBB313	3 or later
5817395-02	CARESCAPE B650 Service Manual, SW v3.2 version MBB323	3 or later

Reminder: Destroy all media contain electronic versions of the impacted Service Manuals and/or Supplemental Manual Information. Refer to the Customer Reply Form to acknowledge destruction

of the media.

2. Impacted Manual part numbers

CARESCAPE Canvas 1000 and CARESCAPE Canvas Smart Display: Service Manuals and User Manual Sets

Table 5.

Part Number	Description
5697487-01 (revision 3 or earlier)	CARESCAPE Canvas 1000 and CARESCAPE Canvas Smart Display, Service Manual, CARESCAPE Software version 3 (3.3)
5887064-100 (revision 2 or earlier)	CARESCAPE Canvas Service Manuals Set SW v3.3 ENG
5903660 (revision 11 or earlier)	Manual USB CARESCAPE CANVAS SW3.3 INTL
5903660-01 (revision 4 or earlier)	Manual USB CARESCAPE CANVAS SW3.3 CAN FRE
5903660-02 (revision 5 or earlier)	Manual USB CARESCAPE CANVAS SW3.3 US 510k

CARESCAPE B850 Monitor: Service Manuals, Digital Media, Supplemental Information Manuals (SIMS)

Note: part numbers listed for SIMS are all revision 1

Table 6.

Part Number	Software Version, Model	Description
2106583-001 (revision 1)	3.0, MBC303	CARESCAPE B850 Service Manual
2109358-001 (revision 3 or earlier)	3.1, MBC313	CARESCAPE B850 Service Manual
5817395-01 (revision 2 or earlier)	3.2, MBC323	CARESCAPE B850 Service Manual
2106534-003 (all revisions)	3.0, MBC303	DVD, CARESCAPE B850, MNLS SW V3, INTL
5818032 (revision 11 or earlier)	3.1, MBC313	Manual USB CARESCAPE B850, SW V3.1 INTL
5822948 (revision 4 or earlier)		Manual USB CARESCAPE B850, SW V3.1 CANADA
5845416 (revision 3 or earlier)		Manual USB CARESCAPE B850, SW V3.1 ENG US
5875711 (revision 3 or earlier)		Manual USB CARESCAPE B850, SW V3.1 CHI
2078606-001	3.0, MBC303	SIM, CARESCAPE B850, SW V3, ENG INTL
2078606-006		SIM, CARESCAPE B850 SW V3, CRO
2078606-007		SIM, CARESCAPE B850, SW V3, CZE
2078606-008		SIM, CARESCAPE B850, SW V3, DAN
2078606-009		SIM, CARESCAPE B850, SW V3, EST
2078606-010		SIM, CARESCAPE B850, SW V3, FIN
2078606-011		SIM, CARESCAPE B850, SW V3, FRE
2078606-012		SIM, CARESCAPE B850, SW V3, GER
2078606-013		SIM, CARESCAPE B850, SW V3, GRE
2078606-014		SIM, CARESCAPE B850, SW V3, HUN
2078606-015		SIM, CARESCAPE B850, SW V3, IND
2078606-016		SIM, CARESCAPE B850, SW V3, ITA
2078606-017		SIM, CARESCAPE B850, SW V3, JAP
2078606-019		SIM, CARESCAPE B850, SW V3, KOR
2078606-020		SIM, CARESCAPE B850, SW V3, LAT
2078606-021		SIM, CARESCAPE B850, SW V3, LIT
2078606-022		SIM, CARESCAPE B850, SW V3, NLB
2078606-023		SIM, CARESCAPE B850, SW V3, NOR
2078606-024		SIM, CARESCAPE B850, SW V3, POB
2078606-025		SIM, CARESCAPE B850, SW V3, POL
2078606-026	SIM, CARESCAPE B850, SW V3, POR	
2078606-028	SIM, CARESCAPE B850, SW V3, RUS	
2078606-029	SIM, CARESCAPE B850, SW V3, SER	
2078606-030	SIM, CARESCAPE B850, SW V3, SLO	

Part Number	Software Version, Model	Description
2078606-031		SIM, CARESCAPE B850, SW V3, SPA
2078606-033		SIM, CARESCAPE B850, SW V3, SWE
2078606-034		SIM, CARESCAPE B850, SW V3, TUR
5810734	3.1, MBC313	SIM, CARESCAPE B850 SW 3.1, ENG INTL
5810734-02		SIM, CARESCAPE B850 SW 3.1, ENG US
5810734-03		SIM, CARESCAPE B850 SW V3.1, BUL
5810734-06		SIM, CARESCAPE B850 SW V3.1, CRO
5810734-07		SIM, CARESCAPE B850 SW V3.1, CZE
5810734-08		SIM, CARESCAPE B850 SW V3.1, DAN
5810734-09		SIM, CARESCAPE B850 SW V3.1, EST
5810734-10		SIM, CARESCAPE B850 SW V3.1, FIN
5810734-11		SIM, CARESCAPE B850 SW V3.1, FRE
5810734-12		SIM, CARESCAPE B850 SW V3.1, GER
5810734-13		SIM, CARESCAPE B850 SW V3.1, GRE
5810734-14		SIM, CARESCAPE B850 SW V3.1, HUN
5810734-15		SIM, CARESCAPE B850 SW V3.1, IND
5810734-16		SIM, CARESCAPE B850 SW V3.1, ITA
5810734-17		SIM, CARESCAPE B850 SW V3.1, JAP
5810734-18		SIM, CARESCAPE B850 SW V3.1, KAZ
5810734-19		SIM, CARESCAPE B850 SW V3.1, KOR
5810734-20		SIM, CARESCAPE B850 SW V3.1, LAT
5810734-21		SIM, CARESCAPE B850 SW V3.1, LIT
5810734-22		SIM, CARESCAPE B850 SW V3.1, NLB
5810734-23		SIM, CARESCAPE B850 SW V3.1, NOR
5810734-24		SIM, CARESCAPE B850 SW V3.1, POB
5810734-25		SIM, CARESCAPE B850 SW V3.1, POL
5810734-26		SIM, CARESCAPE B850 SW V3.1, POR
5810734-27		SIM, CARESCAPE B850 SW V3.1, ROM
5810734-28		SIM, CARESCAPE B850 SW V3.1, RUS
5810734-29		SIM, CARESCAPE B850 SW V3.1, SER
5810734-30		SIM, CARESCAPE B850 SW V3.1, SLO
5810734-31		SIM, CARESCAPE B850 SW V3.1, SPA
5810734-33		SIM, CARESCAPE B850 SW V3.1, SWE
5810734-34		SIM, CARESCAPE B850 SW V3.1, TUR
5810734-35		SIM, CARESCAPE B850 SW V3.1, UKR
5810734-36		SIM, CARESCAPE B850 SW V3.1, VIE
5830146-04		SIM, CARESCAPE B850 SW V3.1, CHI

CARESCAPE B650 Monitor: Service Manuals, Digital Media, Supplemental Information Manuals (SIMS)

Note: part numbers listed for SIMS are all revision 1

Table 7.

Part Number	Software Version, Model	Description
2109358-002 (revision 4 or earlier)	3.1, MBB313	CARESCAPE B650 Service Manual
5817395-02 (revision 2 or earlier)	3.2, MBB323	CARESCAPE B650 Service Manual
5810398 (revision 15 or earlier)	3.1, MBB313	Manual USB CARESCAPE B650, SW V3.1 INTL
5822723 (revision 5 or earlier)		MANUAL USB CARESCAPE B650, SW V3.1 CANADA
5845415 (revision 4 or earlier)		MANUAL USB CARESCAPE B650, SW V3.1 ENG US
5860794 (revision 4 or earlier)		MANUAL USB CARESCAPE B650, SW V3.1 CHI
2110615-001		3.1, MBB313

Part Number	Software Version, Model	Description
2110615-002		SIM, CARESCAPE B650 SW 3.1, ENG US
2110615-003		SIM, CARESCAPE B650 SW 3.1, BUL
2110615-006		SIM, CARESCAPE B650 SW 3.1, CRO
2110615-007		SIM, CARESCAPE B650 SW V3.1, CZE
2110615-008		SIM, CARESCAPE B650 SW 3.1, DAN
2110615-009		SIM, CARESCAPE B650 SW 3.1, EST
2110615-010		SIM, CARESCAPE B650 SW 3.1, FIN
2110615-011		SIM, CARESCAPE B650 SW 3.1, FRE
2110615-012		SIM, CARESCAPE B650 SW 3.1, GER
2110615-013		SIM, CARESCAPE B650 SW 3.1, GRE
2110615-014		SIM, CARESCAPE B650 SW 3.1, HUN
2110615-015		SIM, CARESCAPE B650 SW 3.1, IND
2110615-016		SIM, CARESCAPE B650 SW 3.1, ITA
2110615-017		SIM, CARESCAPE B650 SW 3.1, JAP
2110615-018		SIM, CARESCAPE B650 SW 3.1, KAZ
2110615-019		SIM, CARESCAPE B650 SW 3.1, KOR
2110615-020		SIM, CARESCAPE B650 SW 3.1, LAT
2110615-021		SIM, CARESCAPE B650 SW 3.1, LIT
2110615-022		SIM, CARESCAPE B650 SW 3.1, NLB
2110615-023		SIM, CARESCAPE B650 SW 3.1, NOR
2110615-024		SIM, CARESCAPE B650 SW 3.1, POB
2110615-025		SIM, CARESCAPE B650 SW 3.1, POL
2110615-026		SIM, CARESCAPE B650 SW 3.1, POR
2110615-027		SIM, CARESCAPE B650 SW 3.1, ROM
2110615-028		SIM, CARESCAPE B650 SW 3.1, RUS
2110615-029		SIM, CARESCAPE B650 SW 3.1, SER
2110615-030		SIM, CARESCAPE B650 SW 3.1, SLO
2110615-031		SIM, CARESCAPE B650 SW 3.1, SPA
2110615-033		SIM, CARESCAPE B650 SW 3.1, SWE
2110615-034		SIM, CARESCAPE B650 SW 3.1, TUR
2110615-035		SIM, CARESCAPE B650 SW 3.1, UKR
2110615-036		SIM, CARESCAPE B650 SW 3.1, VIE
5830148-04		SIM, CARESCAPE B650 SW V3.1, CHI

CARESCAPE Bx50 Monitor: Service Manuals and User Manual Sets

Table 8.

Part Number	Software Version, Model	Description
5829987 (revision 9 and earlier)	3.2, MBB323 and MBC323	MANUAL USB CARESCAPE BX50, SW V3.2 INTL
5829989 (revision 9 and earlier)		MANUAL USB CARESCAPE BX50, SW V3.2 CAN
5829987-02 (revision 3 and earlier)		MANUAL USB CARESCAPE BX50, SW V3.2 US
5817395-01 (revision 2 and earlier)	3.2, MBC323	CARESCAPE B850 Service Manual, SW v3.2
5817395-02 (revision 2 and earlier)	3.2, MBB323	CARESCAPE B650 MBB323, SW v3.2